



World leader in vehicle  
de-pollution technology



## SEDA StorageTanks

Rietberg

### StorageTanks Rietberg



#### Rietberg KA-Series

Cylindrical (upright or lying version) and cubic storage tanks including ventilation-, sampling- and filling line are explosion-, pressure- and shock proof and suited for hazard classes

AI, AIII and B according to DIN 6623.



Rietberg KA 2000



Refuel station (Diesel)



Rietberg KA 400



Rietberg MT 900

**KA 400 liters** upright  
(Petrol; 1000x1000x900;  
hot-dipped)

Order number: **N-526182**

**KA 600 liters** upright  
(Petrol; 1000x1000x1150;  
hot-dipped)

Order number: **N-526183**

**KA 995 liters** upright  
(1250x1250x1250)  
hot-dipped)

Order number:

Petrol **N-526180**

Diesel **N-526181**

Waste oil **N-526186**

Wiper fluid **N-526189**

**KA 2000 liters** low  
(Diesel; 2800x1000x1400;  
hot-dipped)

Order number: **N-526185**

#### Rietberg MT-Series

Cubic storage tanks with DIBT approval; either inside raw, outside painted or outside painted, in- and outside hot-dipped. for hazard classes AI, AIII and B; incl. ventilation- and sampling line.

**MT 900 litres** painted  
(1200x800x1290)

Order number:

Waste oil **N-526145**

Coolant **N-526140**

Washer fluid **N-526188**

hot-dipped

**MT 1300 litres** painted  
(Waste oil; 1200x800x1750)

Order number: **N-526125**

**MT 2000 litres** painted  
(1800x800x1750)

Order number:

Waste oil **N-526171**

Coolant **N-526170**

**Other Rietberg tanks are available on request!**



#### SEDA-Umwelttechnik GmbH

Schwendter Str. 10 / A-6345 Kössen/Tirol/Austria  
UID-Nr.: ATU56621622 / FB-Nr.: FN 231790 v / FB-Gericht: Innsbruck  
Certified company DIN EN ISO 9001

**P:** +43 5375 6318-0  
**F:** +43 5375 6318-9  
**E:** info@seda.at  
**Web:** www.seda.at



World leader in vehicle  
de-pollution technology



## SEDA StorageTanks Chemo

### StorageTanks Chemo



All Chemo storage tanks are made of HDPE with integrated galvanised steel sheet catch tray; standart accessories like level indicator, optical leak indicator, intigrated carrying handles; without pump. For storing diesel, RME. Approved for installation indoors. Can be filled with petrol nozzle.

### Chemo Diesel – fuel station UNI 1000

#### 1000 liters tank upright

1280x770x1420

Incl. electric pump 230V (40 litres/ min), petrol nozzle, 6m hose and ventilation tube

Order number: **N-526193**

### Chemo Uni Tank - Alll

#### Uni Tank 400 liters

730x770x1170

Incl. suction- and ventilation tube

Order number: **N-526202**

#### Uni Tank 750 liters

980x770x1420

Incl. suction- and ventilation tube

Order number: **N-526195**

#### Uni Tank 1000 liters

1280x700x1420

Incl. suction- and ventilation tube

Order number: **N-526194**

### Chemo Accessories for UniTanks

#### Electrical counter

Order number: **N-526196**

#### Handpump for UniTank

Order number: **N-526197**

#### Electrical pump for UniTank incl. petrol nozzle

Order number: **N-526198**

#### Suction tube with TW connector

Order number: **N-526199**

#### Ventilation tube with cap for UniTank

Order number: **N-526201**



Chemo refuel station  
UNI Tank 1000



Elect. pump & fuel nozzle



Uni Tank 400 with top



### SEDA-Umwelttechnik GmbH

Schwendter Str. 10 / A-6345 Kössen/Tirol/Austria  
UID-Nr.: ATU56621622 / FB-Nr.: FN 231790 v / FB-Gericht: Innsbruck  
Certified company DIN EN ISO 9001

P: +43 5375 6318-0  
F: +43 5375 6318-9  
E: [info@seda.at](mailto:info@seda.at)  
Web: [www.seda.at](http://www.seda.at)



World leader in vehicle  
de-pollution technology




## SEDA StorageTanks Schütz

### StorageTanks Schütz



SCHÜTZ offers the ideal solution for the safe and easy storage and disposal of heating oil or diesels. The Multi-tanks are indispensable for the most diverse purposes. Available for 700 and 1,000 liters, the tanks are double-walled and corrosion-resistant. The seamlessly blown inner container is made of HDPE, the sturdy outer container of double-sided, galvanized sheet steel with a 100% collection volume.



#### Description:

1. Extraction pump
2. Optical leakage monitor
3. Sheet steel outer container
4. Carrier handles
5. Galvanised tubular frame
6. Level indicator in liter
7. Filler neck (2" inside thread)
8. Additional sockets
9. Inner container

#### Tank T/S 700

Tank, double-walled T/S 700  
incl. transport authorization

Capacity: 700 l  
Size: 1135x757x1210 mm  
**Order number: L-526250**

#### Tank T/S 1000

Tank, double-walled T/S 1000  
incl. transport authorization

Capacity: 1.000 l  
Size: 1135x757x1640 mm  
**Order number: L-526251**

#### Accessories

**Suction pipe for T/S 700**  
Order number: L-526252

**Suction pipe for Tank T/S 1000**  
Order number: L-526253

**Tank truck connection**  
Order number: L-526254

**Elektrical Diesel pump**  
Order number: L-526255

**Elektrical counter**  
Order number: L-526256

**Hand pump**  
Order number: L-526257

**Vent cap 2" incl. pipe**  
Order number: L-526258



#### SEDA-Umwelttechnik GmbH

Schwendter Str. 10 / A-6345 Kössen/Tirol/Austria  
UID-Nr.: ATU56621622 / FB-Nr.: FN 231790 v / FB-Gericht: Innsbruck  
Certified company DIN EN ISO 9001

**P:** +43 5375 6318-0  
**F:** +43 5375 6318-9  
**E:** info@seda.at  
**Web:** www.seda.at